

L Number	Hits	Search Text	DB	Time stamp
4	6	(plurality or multiple) adj3 analog adj3 meters	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 16:16
6	66	(plurality or multiple) adj3 "LED" adj5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 16:18
5	326	(plurality or multiple) adj3 "LED" with data	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 16:20
-	9	(Heath.in. or Sebastian.in.) and (display with quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:41
-	5	((plurality or multiple) with (antennas or antennae or antenna)) same (display with quality)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:13
-	10	((plurality or multiple) with (antennas or antennae or antenna)) same (display with parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:43
-	16	((plurality or multiple) adj3 (antennas or antennae or antenna)) same (quality same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:45
-	16	((plurality or multiple) adj3 (antennas or antennae or antenna)) same (quality same display) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:46
-	47	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display adj3 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:03
-	37	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display adj2 parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:57
-	1	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display adj3 ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 13:58
-	4	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 adj3 ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:20
-	56	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display adj4 channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:09
-	81	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 adj4 channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:04

-	81	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 adj4 channel) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:09
-	69	((plurality or multiple) adj2 (antennas or antennae or antenna)) and (display\$4 adj4 channel) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:06
-	22	((plurality or multiple) adj2 (antennas or antennae or antenna)) and (display\$4 adj4 channel) and display\$4) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:40
-	3	((plurality or multiple) with (antennas or antennae or antenna)) and (display\$4 adj2 quality adj2 (data or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:17
-	1	((plurality or multiple) with (antennas or antennae or antenna)) and (display\$4 adj2 quality adj2 parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:16
-	1	((plurality or multiple) with (antennas or antennae or antenna)) and (display\$4 adj2 quality adj2 (value))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:16
-	1	(antenna adj1 array) and (display\$4 adj2 quality adj2 (data or channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:17
-	4	(antenna adj1 (array or diversity)) and (display\$4 adj3 ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:19
-	25	(impulse adj1 radio) and (spatial)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:39
-	56	(Time adj1 Domain adj1 Corporation) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:40
-	45	((Time adj1 Domain adj1 Corporation) and display) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:41
-	68	(Time adj1 Domain adj1 Corporation) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:41

-	57	((Time adj1 Domain adj1 Corporation) and display\$4) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 14:41
-	1	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 adj3 (channel adj1 estimat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:10
-	26	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 with ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:25
-	26	((plurality or multiple) adj3 (antennas or antennae or antenna)) and (display\$4 with ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:42
-	10	((plurality or multiple) adj1 channels) and (display\$4 adj2 ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:45
-	60	((plurality or multiple) adj1 channels) and (display\$4 with ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or "SNR" or (carrier adj2 interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and display\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/09 15:49
-	2	("4584713").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:13
-	1	("4584713").PN.) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 12:37

-	2833	((plurality or multiple) adj2 (antennas or antennae or antenna)) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 12:59
-	44	((plurality or multiple) adj2 (antennas or antennae or antenna)) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and (((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 12:42
-	62	((plurality or multiple) adj2 (antennas or antennae or antenna)) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and (((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) same display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:01
-	1893	(antenna adj1 array) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:05

-	32	((antenna adj1 array) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and (((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)) same display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:05
-	928	(antenna adj1 diversity) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:19
-	23	((antenna adj1 diversity) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))) and (((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance)) same display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 13:05
-	1263	(antenna adj2 diversity) and ((bit adj1 error adj1 rate) or (packet adj1 error adj1 rate) or (frame adj1 error adj1 rate) or (signal adj2 noise adj2 ratio) or ("SNR") or (carrier adj interference adj2 ratio) or (cyclic adj1 redundancy) or (delay adj1 spread) or (channel adj1 condition adj1 number) or (time adj1 variance) or (frequency adj1 variance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/11 16:00